

# MEZZANINE LAYERED SHADES

## Table of Contents

### Features and Size Considerations

Summary	2
Fabric Styles and Information: Layered Shades	3
Light Control and Privacy	4
Fabric Recommendations	5
Light Gap	5
Fabric Disclaimers	5
Cleaning and Care Information	5
Fabric Certifications	5
Continuous-Loop Lift and Motorized Lift Mounting Depth Illustrations	6
Maximum Shade Size	7-8
Continuous-Loop and Motorized Lift	9

### Options

Shade Options	10
Projection Brackets	10
Continuous Loop Lift	11
Motorized Lift	11
Corner Windows	12
Adjacent Shadings	12
Bay Windows	13

### General Information

Continuous-Loop Lift and Motorized Lift	14
Continuous-Loop Lift Product Detail	14
Color Coordination Charts	15

### Price Charts and Options Pricing

Price Group A: Crestones	17
Price Group B: Culebra, Glorieta, Herard, Venado	17
Price Group C: Cordillera	18
Price Group D: Bernina, Vanoise	18
Price Group E: Aravalli, Glorieta Sheen	19
Options Pricing	20

# Features

## Mezzanine Layered Shades

- Dual layers of horizontal fabric segments alternating between sheer and semi-opaque or opaque fabric
- When open and the vanes are aligned, light filters through the sheer fabric
- Shades control the amount of incoming light and the view-through with the shade partially raised or lowered
- Shades block up to 99% of UV rays when closed

Features	Benefits
Continuous-Loop Lift	<ul style="list-style-type: none"> <li>• Cord and clutch system makes raising and lowering shade easy</li> <li>• Cord remains at same length, regardless of shade position</li> <li>• Choose left or right cord location</li> <li>• Color coordinated cords</li> <li>• Choose from six colors of bottomrail</li> </ul>
Motorized Lift	<ul style="list-style-type: none"> <li>• Window treatments can be operated from virtually anywhere in the home</li> <li>• Easily operate hard-to-reach or large window coverings</li> <li>• Operate multiple window treatments simultaneously or individually</li> </ul>
Fabric-Wrapped Cassette	<ul style="list-style-type: none"> <li>• Fabric-wrapped cassette (standard) creates a cohesive appearance in the window</li> </ul>

# Features

## Fabric Styles and Information: Layered Shades

Style Name*	Color Name	Price Group	Opacity/ Privacy/ Light Control	Fabric Composition	Oeko-Tex® Certified	Fire Retardant Rated
Aravalli	Bronze	E	Room darkening	100% polyester	√	√
	Crystal	E	Room darkening	100% polyester	√	√
	Sand	E	Room darkening	100% polyester	√	√
Bernina	Birch Bark	D	Light filtering	100% polyester	√	No
	Mussel Shell	D	Light filtering	100% polyester	√	No
	Shale	D	Light filtering	100% polyester	√	No
	Tuxedo	D	Light filtering	100% polyester	√	No
Cordillera	Acorn	C	Light filtering	100% polyester	√	No
	Coffee Bean	C	Light filtering	100% polyester	√	No
	Flax	C	Light filtering	100% polyester	√	No
	Lily White	C	Light filtering	100% polyester	√	No
	Rushes	C	Light filtering	100% polyester	√	No
	Sand Dune	C	Light filtering	100% polyester	√	No
Crestones	Buff	A	Light filtering	100% polyester	√	No
	Copper	A	Light filtering	100% polyester	√	No
	Essential White	A	Light filtering	100% polyester	√	No
	Lace	A	Light filtering	100% polyester	√	No
	Midnight	A	Light filtering	100% polyester	√	No
	Silversmith	A	Light filtering	100% polyester	√	No
Culebra	Lotus	B	Light filtering	100% polyester	√	√
	Obsidian	B	Light filtering	100% polyester	√	√
	Proclamation	B	Light filtering	100% polyester	√	√
	Wren	B	Light filtering	100% polyester	√	√
Glorieta	Burnished Caramel	B	Sheer	100% polyester	√	√
	Chocolate	B	Sheer	100% polyester	√	√
	Cityscape	B	Sheer	100% polyester	√	√
	Icicle	B	Sheer	100% polyester	√	√
	Ivory	B	Sheer	100% polyester	√	√
	Noir	B	Sheer	100% polyester	√	√
Glorieta Sheen	Glisten	E	Sheer	100% polyester	√	No
	Zinc	E	Sheer	100% polyester	√	No
Herard	Copper	B	Light filtering	100% polyester	√	No
	Essential White	B	Light filtering	100% polyester	√	No
	Lace	B	Light filtering	100% polyester	√	No
	Mercury	B	Light filtering	100% polyester	√	No
	Silversmith	B	Light filtering	100% polyester	√	No
Vanoise	Arctic Fox	D	Light filtering	100% polyester	√	√
	Kodiak	D	Light filtering	100% polyester	√	√
	Polar	D	Light filtering	100% polyester	√	√
	Tusk	D	Light filtering	100% polyester	√	√
Venado	Bisque	B	Light filtering	100% polyester	√	√
	Charcoal	B	Light filtering	100% polyester	√	√
	Dusky Mauve	B	Light filtering	100% polyester	√	√
	Icicle	B	Light filtering	100% polyester	√	√
	Lily White	B	Light filtering	100% polyester	√	√
	Mauve	B	Light filtering	100% polyester	√	√
	Raven	B	Light filtering	100% polyester	√	√
	Regiment	B	Light filtering	100% polyester	√	√

\*All sheer stripes are 2" (5.1 cm), semi-opaque/opaque stripes vary from 2¾" (7 cm)-3⅝" (8 cm) based on style. See actual samples.

# Features

## Light Control and Privacy

**Sheer:** Allows the most amount of light into the room for a minimum amount of privacy and a view to the outside. Objects in the room can be seen quite clearly through shades.

**Privacy Level:** Moderate.

**Light Filtering\*:** Allows light to gently filter through and provides privacy. Images and shapes may be seen through these shades, but details are not visible. Deep fabric colors provide moderate light control, while light colors provide lower light control. **Privacy Level:** Moderate.

**Room Darkening\*:** Allows some light to filter into the room and provides privacy. Objects in a lit room seen through these shades appear as vague shapes. Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

**Privacy Level:** Complete.

**Light Gaps:** For optimal light and glare control, outside mount is recommended, or you may add a secondary soft window treatment (drapery or curtain) to hide the light gap on an inside mount. **Privacy Level:** Moderate.

\*These fabrics are translucent and their colors may be influenced by changing light conditions. Colors may appear to vary depending upon the time of day and type of lighting, as well as whether the shade is partially or fully lowered.

# Features

## Fabric Recommendations

Order all shades for the same room at the same time to ensure color consistency and to minimize dye lot variation. For side-by-side layered shades, request stripe alignment. Stripes can be aligned to within ¼" (0.7 cm).

**NOTE:** Shades must be ordered at the same time with the same fabric style and height.

## Light Gap

The fabric width is narrower than the finished shade width of the tube and its components. See chart below for light gap.

Control Type	Control End		Idle End	
	Inside Mount inches (cm)	Outside Mount inches (cm)	Inside Mount inches (cm)	Outside Mount inches (cm)
Continuous Loop Lift	1 ½ (2.9)	1 ½ (2.7)	¾ (2)	1 ½ (1.8)
Motorized Lift	1 ½ (2.7)	1 (2.6)	¾ (2)	1 ½ (1.8)

## Fabric Disclaimers

Due to the nature of the weaving process, some imperfections in the weave are normal. Fabric appearance can vary based on changing light conditions in the room.

## Cleaning and Care Information

Regular light dusting with a feather duster, vacuum with low suction, or a hair dryer on a cool temperature.

## Fabric Certifications

**Oeko-Tex® Standard 100** certifies that our fabrics are free of PVC, halogen, lead, formaldehyde, allergenic dyes, pesticides, phenols, heavy metals, and meet all VOC content limits.

[oeko-tex.com](http://oeko-tex.com)



Oeko-Tex is a registered trademark of the Oeko-Tex Association.



# Size Considerations

## Continuous-Loop Lift and Motorized Lift Mounting Depth Illustrations

The following diagram illustrates the mounting depth requirements for shades mounted inside window casements.



**Fabric-Wrapped Cassette**

Minimum Mounting Depth	1 1/8" (3.5 cm)
Minimum Mounting Depth, Flush Mount	3 5/8" (9.3 cm)

# Size Considerations

## Maximum Shade Size

**NOTE:** Shaded areas are available for order.

Minimum width: Continuous-loop lift 12" (30.5 cm)

Motorized lift 16 (40.7 cm)

Minimum length: 12" (30.5 cm) all control types

Fabric: Aravalli	
Length up to inches (cm) ↓	Width up to inches (cm) →
	24 (61.0) 30 (76.2) 36 (91.5) 42 (106.7) 48 (122.0) 54 (137.2) 60 (152.4) 66 (167.7) 72 (182.9) 78 (198.2) 84 (213.4) 90 (228.6) 96 (243.9) 102 (259.1)
24 (61.0)	
30 (76.2)	
36 (91.5)	
42 (106.7)	
48 (122.0)	
52 (132.1)	
60 (152.4)	
66 (167.7)	
72 (182.9)	
78 (198.2)	
84 (213.4)	
90 (228.6)	
96 (243.9)	
102 (259.1)	
108 (274.4)	
110 (279.4)	

Fabric: Bernina	
Length up to inches (cm) ↓	Width up to inches (cm) →
	24 (61.0) 30 (76.2) 36 (91.5) 42 (106.7) 48 (122.0) 54 (137.2) 60 (152.4) 66 (167.7) 72 (182.9) 78 (198.2) 84 (213.4) 90 (228.6) 96 (243.9) 102 (259.1)
24 (61.0)	
30 (76.2)	
36 (91.5)	
42 (106.7)	
48 (122.0)	
54 (131.1)	
60 (152.4)	
66 (167.7)	
72 (182.9)	
78 (198.2)	
84 (213.4)	
90 (228.6)	
96 (243.9)	
102 (259.1)	
108 (274.4)	
110 (279.4)	

Fabric: Cordillera	
Length up to inches (cm) ↓	Width up to inches (cm) →
	24 (61.0) 30 (76.2) 36 (91.5) 42 (106.7) 48 (122.0) 54 (137.2) 60 (152.4) 66 (167.7) 72 (182.9) 78 (198.2) 85 (215.9) 90 (228.6) 96 (243.9) 102 (259.1)
24 (61.0)	
30 (76.2)	
36 (91.5)	
42 (106.7)	
48 (122.0)	
52 (131.1)	
60 (152.4)	
66 (167.7)	
72 (182.9)	
75 (190.5)	
84 (213.4)	
90 (228.6)	
96 (243.9)	
102 (259.1)	
108 (274.4)	
110 (279.4)	

Fabric: Crestones	
Length up to inches (cm) ↓	Width up to inches (cm) →
	24 (61.0) 30 (76.2) 36 (91.5) 42 (106.7) 48 (122.0) 54 (137.2) 60 (152.4) 66 (167.7) 72 (182.9) 78 (198.2) 85 (215.9) 90 (228.6) 97 (246.4) 102 (259.1)
24 (61.0)	
30 (76.2)	
36 (91.5)	
42 (106.7)	
48 (122.0)	
54 (131.1)	
60 (152.4)	
66 (167.7)	
72 (182.9)	
78 (198.2)	
84 (213.4)	
90 (228.6)	
96 (243.9)	
102 (259.1)	
108 (274.4)	
110 (279.4)	

Fabric: Culebra	
Length up to inches (cm) ↓	Width up to inches (cm) →
	24 (61.0) 30 (76.2) 36 (91.5) 42 (106.7) 48 (122.0) 54 (137.2) 60 (152.4) 66 (167.7) 72 (182.9) 78 (198.2) 84 (213.4) 95 (241.3) 96 (243.9) 102 (259.1)
24 (61.0)	
30 (76.2)	
36 (91.5)	
42 (106.7)	
48 (122.0)	
54 (131.1)	
60 (152.4)	
66 (167.7)	
72 (182.9)	
78 (198.2)	
84 (213.4)	
90 (228.6)	
96 (243.9)	
102 (259.1)	
108 (274.4)	
110 (279.4)	

Fabric: Glorieta	
Length up to inches (cm) ↓	Width up to inches (cm) →
	24 (61.0) 30 (76.2) 36 (91.5) 42 (106.7) 48 (122.0) 54 (137.2) 60 (152.4) 66 (167.7) 72 (182.9) 78 (198.2) 84 (213.4) 90 (228.6) 98 (249.0) 102 (259.1)
24 (61.0)	
30 (76.2)	
36 (91.5)	
42 (106.7)	
48 (122.0)	
54 (131.1)	
60 (152.4)	
66 (167.7)	
72 (182.9)	
78 (198.2)	
84 (213.4)	
90 (228.6)	
96 (243.9)	
102 (259.1)	
108 (274.4)	
110 (279.4)	

# Size Considerations

## Maximum Shade Size

**NOTE:** Shaded areas are available for order.

Minimum width: Continuous-loop lift 12" (30.5 cm)  
 Motorized lift 16" (40.7 cm)

Minimum length: 12" (30.5 cm) all control types

Fabric: Glorieta Sheen	
Length up to inches (cm) ↓	Width up to inches (cm) →
	24 (61.0) 30 (76.2) 36 (91.5) 42 (106.7) 48 (122.0) 54 (137.2) 60 (152.4) 66 (167.7) 72 (182.9) 78 (198.2) 84 (213.4) 90 (228.6) 96 (243.9) 102 (259.1)
24 (61.0)	
30 (76.2)	
36 (91.5)	
42 (106.7)	
48 (122.0)	
54 (137.2)	
60 (152.4)	
66 (167.7)	
72 (182.9)	
78 (198.2)	
84 (213.4)	
90 (228.6)	
96 (243.9)	
102 (259.1)	
108 (274.4)	
110 (279.4)	

Fabric: Herard	
Length up to inches (cm) ↓	Width up to inches (cm) →
	24 (61.0) 30 (76.2) 36 (91.5) 42 (106.7) 48 (122.0) 54 (137.2) 60 (152.4) 66 (167.7) 72 (182.9) 78 (198.2) 84 (213.4) 90 (228.6) 97 (246.4) 102 (259.1)
24 (61.0)	
30 (76.2)	
36 (91.5)	
42 (106.7)	
48 (122.0)	
54 (137.2)	
60 (152.4)	
66 (167.7)	
72 (182.9)	
77 (195.6)	
84 (213.4)	
90 (228.6)	
96 (243.9)	
102 (259.1)	
108 (274.4)	
110 (279.4)	

Fabric: Vanoise	
Length up to inches (cm) ↓	Width up to inches (cm) →
	24 (61.0) 30 (76.2) 36 (91.5) 42 (106.7) 48 (122.0) 54 (137.2) 60 (152.4) 66 (167.7) 72 (182.9) 78 (198.2) 84 (213.4) 91 (231.2) 96 (243.9) 102 (259.1)
24 (61.0)	
30 (76.2)	
36 (91.5)	
42 (106.7)	
48 (122.0)	
54 (137.2)	
60 (152.4)	
66 (167.7)	
72 (182.9)	
78 (198.2)	
84 (213.4)	
90 (228.6)	
95 (241.3)	
102 (259.1)	
108 (274.4)	
110 (279.4)	

Fabric: Venado	
Length up to inches (cm) ↓	Width up to inches (cm) →
	24 (61.0) 30 (76.2) 36 (91.5) 42 (106.7) 48 (122.0) 54 (137.2) 60 (152.4) 66 (167.7) 72 (182.9) 78 (198.2) 85 (215.9) 90 (228.6) 96 (243.9) 102 (259.1)
24 (61.0)	
30 (76.2)	
36 (91.5)	
42 (106.7)	
48 (122.0)	
54 (137.2)	
60 (152.4)	
66 (167.7)	
72 (182.9)	
75 (109.5)	
84 (213.4)	
90 (228.6)	
96 (243.9)	
102 (259.1)	
108 (274.4)	
110 (279.4)	



## Size Considerations

### Continuous-Loop Lift and Motorized Lift

Style Name	Color Name	Maximum Width* (inches) (cm)	Maximum Height* (inches) (cm)
Aravalli	Bronze	96 (243.9)	52 (132.1)
	Crystal		
	Sand		
Bernina	Birch Bark	96 (243.9)	110 (279.4)
	Mussel Shell		
	Shale Tuxedo		
Cordillera	Acorn	85 (215.9)	75 (190.5)
	Coffee Bean		
	Flax		
	Lily White		
	Rushes Sand Dune		
Crestones	Buff	97 (246.4)	84 (213.4)
	Copper		
	Essential White		
	Lace		
	Midnight		
	Silversmith		
Culebra	Lotus	95 (241.3)	110 (279.4)
	Obsidian		
	Proclamation		
	Wren		
Glorieta	Burnished Caramel	98 (249.0)	110 (279.4)
	Chocolate		
	Cityscape		
	Icicle		
	Ivory		
	Noir		

Style Name	Color Name	Maximum Width* (inches) (cm)	Maximum Height* (inches) (cm)
Glorieta Sheen	Glisten	98 (249.0)	110 (279.4)
	Zinc		
Herard	Copper	97 (246.4)	77 (195.6)
	Essential White		
	Lace		
	Mercury Silversmith		
Vanoise	Arctic Fox	91 (231.2)	95 (241.3)
	Kodiak		
	Polar		
	Tusk		
Venado	Bisque	85 (215.9)	75 (190.5)
	Charcoal		
	Dusky Mauve		
	Icicle		
	Lily White		
	Mauve		
	Raven Regiment		

Minimum width: Continuous-loop lift 12" (30.5 cm)  
 Motorized lift 16" (40.7 cm)

Minimum length: 12" (30.5 cm) all control types

\*If the height is shorter than the maximum, a slightly larger width may be available to order. Max width is 102" (259.1 cm).

# Options

## Shade Options: For Surcharges and Pricing Refer to Pricing Section

Below is a list of options for layered shades. All options are available in all styles and colors. See detailed descriptions on the following pages.

### Control Type Options

- Continuous-loop lift
- Motorized lift (see motorization price list)


### Shade Options—No Charge

- Bay and corner windows
- Cord length (must specify different length)
- Cord location
- Projection brackets 3¼" (8.3 cm) and 4" (10.2 cm)
  - 3¼" (8.3 cm) projection brackets add up to 2½" (5.4 cm) extension from wall
  - 4" (10.2 cm) projection brackets add up to 2⅞" (7.4 cm) extension from wall

### Shade Options—Surcharge

- Motorization (see motorization price list)
- Palladian window shelf (see cornice, valance, and palladian window shelf price list)

## Projection Brackets



- **No charge**
- Available with continuous-loop lift and motorized lift with cassette on outside mounts
- Two sizes: 3¼" (8.3 cm) and 4" (10.2 cm)
- 3¼" (8.3 cm) projection brackets add up to 2½" (5.4 cm) extension from wall
- 4" (10.2 cm) projection brackets add up to 2⅞" (7.4 cm) extension from wall

# Options

## Continuous-Loop Lift



- **Standard**
- Cord loop and clutch system makes raising and lowering shade easy
- Special cord loop length must be requested at time of order
- Cord remains at same length regardless of shade position
- Color coordinated cord loop and cord guide
- Safety cord guide provides the ability to keep the cord out of the reach of children and pets to enhance safety
- Choose left or right cord location
- Outside mount is recommended for maximum light control

**NOTE:** Cord guide must be installed to operate shade.



Inside Mount Light Gap  
Refer to Light Gap Chart

## Motorized Lift



- See motorization price list for additional options and pricing
- In the down position, the shade will be closed
- Allows for easy operation of hard-to-reach or large window coverings
- Efficiently manages energy (heat gain and loss)
- Motorized lift shades are cordless and are a safer choice for homes with children or pets
- Low-voltage motorization requires no costly electrical hardwiring
- Powered with battery, solar power kits, plug-in transformer, or multi-motor power supply
- Motor located on the left or right side, standard on the right

**NOTE:** Motorization components and accessories have a five-year limited warranty, excluding batteries.


# Options

## Corner Windows



Shades on Corner Windows


- **No charge**
- Made as individual shades
- Each shade will have its own control; we recommend opposite corners
- Indicate for each shade whether butt or bypass
- Bypass shade is mounted into the corner; butt shade is butted to the other shade
- Manufacturer will take appropriate deductions for proper fit; **DO NOT** order as a corner shade if you do not want manufacturer to take deductions



### Measuring Information

#### Mounting on a Wall or Molding:

Measure the width of each window from the corner on the mounting surface (molding or wall) to the point you would like to cover.



#### Mounting Above the Molding:

Measure the width of each window from the corner on the mounting surface to the point you would like to cover.

Projection measurement is the distance needed to clear any molding or obstructions that the shade will be mounted above.

**NOTE:** The projection (P) distance is needed to correctly calculate deductions for installations where the shades will use shims or projection brackets to clear molding. All projection distances must match for correct deductions to be calculated.

## Adjacent Shadings

To cover wide window openings, shadings may be installed adjacently so ends of the cassette headrail touch. The gap between the fabric panels of the adjacent shadings varies according to the control placement as shown in the table.

Control Placement for Adjacent Shades			
Control Placement		Gap	
Left Shade Control	Right Shade Control	Continuous-Loop Lift inches (cm)	Motorized Lift inches (cm)
Right	Right	1 $\frac{7}{8}$ (4.8)	1 $\frac{13}{16}$ (4.7)
Left	Left	1 $\frac{7}{8}$ (4.8)	1 $\frac{13}{16}$ (4.7)
Right	Left	2 $\frac{1}{4}$ (5.8)	2 $\frac{1}{8}$ (5.4)
Left	Right	1 $\frac{1}{2}$ (3.9)	1 $\frac{1}{2}$ (3.9)

### Side-by-Side Alignment

Stripe alignment to within  $\frac{1}{4}$ " (.7 cm) is available upon request only for shades ordered at the same time with the same fabric style and height. Add note in special instructions.

# Options


## Bay Windows



Shades on Bay Windows

- **No charge**
- Made as individual shades
- Each section will have its own control
- Manufacturer will take appropriate deductions for proper fit; **DO NOT** order as a bay window shade if you do not want manufacturer to take deductions

### Measuring Information: Three-Sided Bay Window



**Measure:**

**L and R:**

Width of each side window from the corners on the mounting surface to the point you would like to cover.

**Angle L-C1:**

Angle between the (L) and (C1) windows.

**Angle C1-R:**

Angle between the (C1) and (R) windows.


**Projection:**

If needed: the depth of the trim or molding the shade will be mounted above.

**C1:**

Width of the center window on the mounting surface from corner to corner.

### Measuring Information: Four-Sided Bay Window



**L and R:**

Width of each side window from the corners on the mounting surface to the point you would like to cover.

**Angle L-C1:**

Angle between the (L) and (C1) windows.

**Angle C1-C2:**

Angle between the (C1) and (C2) windows.

**Angle C2-R:**

Angle between the (C2) and (R) windows.

**Projection (P):**

If needed: the depth of the trim or molding the shade will be mounted above.

**C1, C2:**

Width of each center window on the mounting surface from corner to corner.

**NOTE:** The projection (P) distance is needed to correctly calculate deductions for installations where the shades will use shims or projection brackets to clear trim or molding. All projection distances must match for correct deductions to be calculated.

For additional windows on bays with up to five sides continue with number progression for center shade sizes (C1, C2, C3, ...) and angles (angle C1-C2, angle C2-C3, ...) as needed.

Measure each bay angle using a protractor or angle finder or use two business cards in each bay corner as illustrated above, trace on paper, and fax to customer service.

**The angle to use between adjacent center bay windows along a straight section of wall is 180° (degrees).**

# General Information

## Continuous-Loop Lift and Motorized Lift


### Shade Operation

Light is controlled with the layers of fabric alternating between sheer and semi-opaque or opaque horizontal fabric stripes.

### Open View

Align the opaque stripes to filter light and provide a view to the outside.

## Continuous-Loop Lift Product Detail



# General Information

## Color Coordination Charts

Color coordination is shown for informational purposes only.

Style	Color Name	Bottomrail Color	Continuous-Loop Lift
Aravalli	Bronze	Sand	Tuscany
	Crystal	White Satin	Bamboo
	Sand	Cream	Bamboo
Bernina	Birch Bark	White Satin	Bamboo
	Mussel Shell	Coffee	Cocoa
	Shale	Black Satin	Pitch Black
	Tuxedo	Black Satin	Pitch Black
Cordillera	Acorn	Coffee	Cocoa
	Coffee Bean	Coffee	Cocoa
	Flax	Sand	Tuscany
	Lily White	Cream	Bamboo
	Rushes	Coffee	Cocoa
	Sand Dune	Sand	Tuscany
Crestones	Buff	Sand	Tuscany
	Copper	Coffee	Cocoa
	Essential White	White Satin	Bamboo
	Lace	White Satin	Bamboo
	Midnight	Black Satin	Pitch Black
	Silversmith	Classic Gray	Smokey Gray
Culebra	Lotus	White Satin	Bamboo
	Obsidian	Black Satin	Pitch Black
	Proclamation	Cream	Bamboo
	Wren	Cream	Tuscany
Glorieta	Burnished Caramel	Sand	Tuscany
	Chocolate	Coffee	Cocoa
	Cityscape	Classic Gray	Smokey Gray
	Icicle	White Satin	Bamboo
	Ivory	Cream	Bamboo
	Noir	Black Satin	Pitch Black
Glorieta Sheen	Glisten	White Satin	Bamboo
	Zinc	White Satin	Bamboo
Herard	Copper	Coffee	Cocoa
	Essential White	White Satin	Bamboo
	Lace	White Satin	Bamboo
	Mercury	Classic Gray	Smokey Gray
	Silversmith	Classic Gray	Smokey Gray
	Arctic Fox	White Satin	Bamboo
Vanoise	Kodiak	Coffee	Cocoa
	Polar	White Satin	Bamboo
	Tusk	Cream	Bamboo
	Bisque	Sand	Tuscany
Venado	Charcoal	Black Satin	Pitch Black
	Dusky Mauve	Coffee	Cocoa
	Icicle	White Satin	Bamboo
	Lily White	Cream	Bamboo
	Mauve	Cream	Bamboo
	Raven	Black Satin	Pitch Black
	Regiment	Black Satin	Pitch Black

Bottomrail Colors
Black Satin
Classic Gray
Coffee
Cream
Sand
White Satin

Continuous-Loop Lift Cord Colors
Bamboo
Pitch Black
Cocoa
Smokey Gray
Tuscany

Continuous-Loop Lift Lengths inches (cm)
18 (45.8)
24 (61.0)
36 (91.5)
48 (122.0)
60 (152.4)
72 (182.9)
84 (213.4)

**NOTE:** Certain components are only available in limited colors.





## Price Charts

### Price Group A: Crestones

Height up to inches (cm)	Width up to inches (cm)													
	18 (45.8)	24 (61.0)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122.0)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	96 (243.9)	102 (259.1)
30 (76.2)	\$204	251	298	345	389	432	473	510	551	595	632	673	749	786
36 (91.5)	216	260	310	363	407	448	489	529	573	617	657	698	779	818
42 (106.7)	228	276	325	379	422	463	507	551	592	642	682	726	814	855
48 (122.0)	236	289	339	392	436	480	526	570	614	664	708	751	845	886
54 (137.2)	245	301	351	404	451	495	542	589	635	685	732	779	875	919
60 (152.4)	254	310	363	416	463	510	560	607	657	711	758	808	902	947
66 (167.7)	260	317	372	426	476	526	576	629	679	732	782	832	932	979
72 (182.9)	266	328	383	440	492	542	595	648	698	758	808	861	961	1009
78 (198.2)	276	339	392	451	504	557	614	667	720	779	832	885	1000	1050
84 (213.4)	282	348	401	463	521	576	629	685	742	802	858	914	1026	1077

Size availability is based on fabric. See minimum and maximum charts for specific sizes.

### Colors

#### Crestones

Buff . . . . .	4684
Copper . . . . .	4682
Essential White . . . . .	4685
Lace . . . . .	4683
Midnight . . . . .	4680
Silversmith . . . . .	4681

### Price Group B: Culebra, Glorieta, Herard, Venado

Height up to inches (cm)	Width up to inches (cm)													
	18 (45.8)	24 (61.0)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122.0)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	96 (243.9)	102 (259.1)
30 (76.2)	\$226	276	326	383	432	480	533	585	634	692	735	782	875	919
36 (91.5)	241	291	344	404	460	513	566	619	671	723	774	821	919	965
42 (106.7)	252	308	368	424	483	544	596	650	700	756	810	860	963	1011
48 (122.0)	261	324	386	451	513	566	623	676	730	788	845	899	1008	1058
54 (137.2)	273	339	404	471	533	591	647	702	762	824	880	937	1049	1101
60 (152.4)	286	353	421	493	552	611	673	732	792	857	916	975	1094	1150
66 (167.7)	297	368	436	510	572	634	697	759	821	889	953	1014	1138	1195
72 (182.9)	308	380	451	527	594	658	720	786	852	922	987	1053	1183	1242
78 (198.2)	318	392	466	544	611	679	748	816	883	955	1022	1090	1227	1288
84 (213.4)	326	404	480	560	632	702	771	842	914	991	1059	1129	1271	1334
96 (243.9)	344	427	510	596	671	748	821	899	972	1056	1129	1207	1359	1427
110 (279.4)	365	451	540	629	709	792	872	955	1035	1121	1204	1283	1446	1519

Size availability is based on fabric. See minimum and maximum charts for specific sizes.

### Colors

Culebra	Glorieta	Herard	Venado				
Lotus . . . . .	4740	Burnished Caramel . . . . .	4545	Copper . . . . .	4702	Bisque . . . . .	4642
Obsidian . . . . .	4743	Chocolate . . . . .	4543	Essential White . . . . .	4705	Charcoal . . . . .	4646
Proclamation . . . . .	4741	Cityscape . . . . .	4542	Lace . . . . .	4704	Dusky Mauve . . . . .	4644
Wren . . . . .	4742	Icicle . . . . .	4544	Mercury . . . . .	4700	Icicle . . . . .	4649
		Ivory . . . . .	4540	Silversmith . . . . .	4701	Lily White . . . . .	4640
		Noir . . . . .	4541			Mauve . . . . .	4643
						Raven . . . . .	4648
						Regiment . . . . .	4645

## Price Charts

### Price Group C: Cordillera

Height up to inches (cm)	Width up to inches (cm)													
	18 (45.8)	24 (61.0)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122.0)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	96 (243.9)	102 (259.1)
30 (76.2)	\$241	294	347	407	463	516	569	623	679	735	792	842	950	998
36 (91.5)	258	318	376	440	496	552	611	671	730	792	852	911	1028	1079
42 (106.7)	270	335	397	466	530	594	658	718	779	852	911	972	1092	1148
48 (122.0)	286	353	421	496	564	632	700	766	827	896	961	1022	1149	1206
54 (137.2)	303	376	451	527	599	667	735	804	869	940	1008	1077	1206	
60 (152.4)	318	394	471	552	629	700	769	838	911	987	1056	1126	1268	
66 (167.7)	329	410	493	577	655	730	804	877	953	1032	1106	1180	1328	
72 (182.9)	342	427	513	603	681	759	836	914	993	1077	1154	1230	1385	
78 (198.2)	355	445	530	626	709	788	872	953	1032	1121	1201	1283	1444	

Size availability is based on fabric. See minimum and maximum charts for specific sizes.

### Colors

#### Cordillera

Acorn . . . . .	4722
Coffee Bean . . . . .	4724
Flax . . . . .	4720
Lily White . . . . .	4725
Rushes . . . . .	4723
Sand Dune . . . . .	4721

### Price Group D: Bernina, Vanoise

Height up to inches (cm)	Width up to inches (cm)													
	18 (45.8)	24 (61.0)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122.0)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	96 (243.9)	102 (259.1)
30 (76.2)	\$261	324	383	451	513	569	629	689	750	813	875	933	1054	1107
36 (91.5)	286	353	419	487	549	611	679	741	810	877	946	1011	1143	1201
42 (106.7)	300	371	442	516	591	661	735	800	872	950	1017	1085	1233	1294
48 (122.0)	318	392	469	552	629	706	779	857	937	1014	1087	1160	1302	1367
54 (137.2)	339	419	502	591	671	753	833	907	984	1067	1144	1219	1373	1441
60 (152.4)	353	440	525	616	706	792	872	953	1032	1121	1201	1281	1440	1513
66 (167.7)	368	460	549	647	738	827	911	997	1082	1171	1258	1340	1512	1587
72 (182.9)	383	477	575	676	771	863	953	1040	1129	1224	1313	1403	1580	1659
78 (198.2)	397	498	599	706	804	899	991	1082	1177	1274	1369	1462	1650	1733
84 (213.4)	412	516	623	732	836	931	1029	1126	1224	1328	1426	1524	1719	1804
96 (243.9)	442	557	671	792	896	1002	1108	1216	1320	1432	1538	1645	1859	1952
110 (279.4)	471	596	720	845	958	1074	1188	1302	1416	1538	1651	1767	1998	2098

Size availability is based on fabric. See minimum and maximum charts for specific sizes.

### Colors

#### Bernina

#### Vanoise

Birch Bark . . . . .	4600	Arctic Fox . . . . .	4662
Mussel Shell . . . . .	4601	Kodiak . . . . .	4663
Shale . . . . .	4602	Polar . . . . .	4660
Tuxedo . . . . .	4603	Tusk . . . . .	4661

## Price Charts

### Price Group E: Aravalli, Glorieta Sheen

Height up to inches (cm)	Width up to inches (cm)													
	18 (45.8)	24 (61.0)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122.0)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	96 (243.9)	102 (259.1)
30 (76.2)	\$286	350	419	493	564	626	694	762	830	899	970	1038	1167	1225
36 (91.5)	300	386	460	537	611	679	756	830	907	984	1064	1136	1284	1348
42 (106.7)	329	412	493	575	658	744	827	904	984	1074	1154	1232	1400	1471
48 (122.0)	350	436	527	623	711	804	885	975	1064	1154	1239	1322	1493	1568
54 (137.2)	376	471	569	671	766	860	950	1040	1129	1227	1317	1408	1586	1666
60 (152.4)	394	498	599	706	810	907	1005	1100	1197	1299	1396	1491	1687	1772
66 (167.7)	415	522	632	744	855	955	1059	1163	1263	1372	1474	1577	1777	1866
72 (182.9)	432	549	664	782	896	1005	1111	1222	1330	1444	1552	1660	1879	1973
78 (198.2)	454	572	694	821	940	1053	1168	1281	1396	1518	1630	1746	1972	2071
84 (213.4)	471	599	727	857	981	1103	1222	1343	1465	1589	1711	1830	2070	2173
96 (243.9)	510	650	788	933	1067	1197	1330	1465	1594	1734	1868	1997	2265	2379
110 (279.4)	549	700	855	1008	1154	1296	1441	1586	1728	1880	2025	2166	2456	2579

Size availability is based on fabric. See minimum and maximum charts for specific sizes.

### Colors

#### Aravalli

Bronze . . . . . 4582  
 Crystal . . . . . 4583  
 Sand . . . . . 4580

#### Glorieta Sheen

Glisten . . . . . 4563  
 Zinc . . . . . 4560

## Options Pricing

Options Pricing	
Option	Surcharge
Bay and Corner Window Shades	No charge
Bottomrail Color	No charge
Fabric-Wrapped Cassette	Standard—no charge
Continuous-Loop Lift	Standard—no charge
Motorized Lift	See motorization price list for information
Projection Brackets	No charge
Wood Cornice and Valance	See cornice and valance price list for information



Graber is a brand of Springs Window Fashions, the Best Experience Company 

Graber and the Graber logo are registered trademarks of Springs Window Fashions, LLC.

19-0690-01 (07/17) 17-5473|S16-3785